

Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 1 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD.

桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 鈞均企業股份有限公司 (SHYANGE PAINT CO., LTD.)

樣品名稱(Sample Description) : PU水性平光透明漆80%(主劑)

樣品型號(Style/Item No.) : WU-306-80% 收件日期(Sample Receiving Date) : 2013/08/20

測試期間(Testing Period) : 2013/08/20 TO 2013/08/29

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document document on the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

33, Wu Chuan Rd., New Taipei Industrial Park, New Taipei City, Taiwan / 新北市新北產業園區五權路33號 t+886 (02)2299 3279 f+886 (02)2299 3237 www.sgs.tw



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 2 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號 測試結果(Test Results)

測試部位(PART NAME)No.1 : 白色液體 (WHITE LIQUID)

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
甲醛 / Formaldehyde (CAS No.: 50-00-0)	mg/kg	参考ISO 17226-1(2008)方法,以高效液相層析儀/二極體陣列偵測器檢測./With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.
溶出鋁 / Soluble Aluminum (A1)	mg/kg		50	n.d.
溶出銻 / Soluble Antimony (Sb)	mg/kg		1	n.d.
溶出砷 / Soluble Arsenic (As)	mg/kg		0.5	n.d.
溶出鋇 / Soluble Barium (Ba)	mg/kg		50	n.d.
溶出硼 / Soluble Boron (B)	mg/kg		50	n.d.
溶出鎬 / Soluble Cadmium (Cd)	mg/kg		0.1	n.d.
溶出鈷 / Soluble Cobalt (Co)	mg/kg	參考 EN 71 Part 3:2013,以感應耦合電漿	0.5	n.d.
溶出銅 / Soluble Copper (Cu)	mg/kg	質譜儀檢測. / With reference to EN 71	50	n.d.
溶出鉛 / Soluble Lead (Pb)	mg/kg	Part 3:2013. Analysis was performed by	0.5	n.d.
溶出錳 / Soluble Manganese (Mn)	mg/kg	ICP-MS.	50	n.d.
溶出汞 / Soluble Mercury (Hg)	mg/kg		0.5	n.d.
溶出鎳 / Soluble Nickel (Ni)	mg/kg		10	n.d.
溶出硒 / Soluble Selenium (Se)	mg/kg		5	n.d.
溶出鳃 / Soluble Strontium (Sr)	mg/kg		50	n.d.
溶出錫 / Soluble Tin (Sn)	mg/kg		0.08	n.d.
溶出鋅 / Soluble Zinc (Zn)	mg/kg		50	n.d.
溶出三價鉻 / Soluble Chromium (III) (Cr (III))	mg/kg	參考 EN 71 Part 3:2013,以液相層析感應 耦合電漿質譜儀檢測./With reference to	1	n.d.
溶出六價鉻 / Soluble Chromium (VI) (Cr (VI))	mg/kg	高合电聚真譜俄薇湖. / With reference to EN 71 Part 3:2013. Analysis was performed by LC-ICP-MS.	0.005	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 3 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目	單位	測試方法	方法偵測	結果
(Test Items)	(Unit)	(Method)	極限值	(Result)
(1000 100mb)	(0111)	((MDL)	No.1
甲基錫 / Methyl tin (MeT)	mg/kg		0.14	n.d.
二丙基錫 / Di-n-propyl tin (DProT)	mg/kg		0.14	n.d.
單丁基錫 / Butyl tin (BuT)	mg/kg		0.14	n.d.
二丁基錫 / Dibutyl Tin (DBT)	mg/kg	A to my = 2 0 0000 11 to 12 12 12 12 12 12 12 12 12 12 12 12 12	0.14	n.d.
三丁基錫 / Tributyl Tin (TBT)	mg/kg	參考 EN 71 Part 3:2013,以氣相層析/質譜	0.14	n.d.
單辛基錫 / n-Octyl tin (MOT)	mg/kg	儀檢測. / With reference to EN 71 Part 3:2013. Analysis was performed by	0.14	n.d.
四丁基錫 / Tetrabutyltin (TeBT)	mg/kg	GC/MS.	0.14	n.d.
二苯基錫 / Diphenyltin (DphT)	mg/kg	de/ind.	0.14	n.d.
二辛基錫 / Di-n-octyl tin (DOT)	mg/kg		0.14	n.d.
三苯基錫 / Triphenyl Tin (TphT)	mg/kg		0.14	n.d.
溶出有機錫 / Soluble Organic Tin	mg/kg		-	n.d.
揮發性有機物質 (VOCs) / Volatile				
organic compounds (VOCs)				
1,1,1,2-四氯乙烷 / 1,1,1,2-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀	1	n.d.
Tetrachloroethane (CAS No.: 630-		檢測. / With reference to US EPA 5021		
20-6)		method. Analysis was performed by		
		GC/MS.		
1,1,1-三氟乙烷 / 1,1,1-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀	1	n.d.
Trichloroethane (CAS No.: 71-55-6)		檢測. / With reference to US EPA 5021		
		method. Analysis was performed by		
		GC/MS.		
1,1,2,2-四氯乙烷 / 1,1,2,2-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀	1	n.d.
Tetrachloroethane (CAS No.: 79-34-		檢測. / With reference to US EPA 5021		
5)		method. Analysis was performed by		
		GC/MS.		
1,1,2-三氟乙烷 / 1,1,2-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀	1	n.d.
Trichloroethane (CAS No.: 79-00-5)		檢測. / With reference to US EPA 5021		
		method. Analysis was performed by		
		GC/MS.		



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 4 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
1,1-二氯乙烯 / 1,1-Dichloroethene (CAS No.: 75-35-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-二氯乙烷 / 1,1-Dichloroethane (CAS No.: 75-34-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,1-二氯丙烯 / 1,1-Dichloropropene (CAS No.: 563-58-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,3-三氯苯 / 1,2,3- Trichlorobenzene (CAS No.: 87-61- 6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,3-三氯丙烷 / 1,2,3- Trichloropropane (CAS No.: 96-18- 4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,4-三氯苯 / 1,2,4- Trichlorobenzene (CAS No.: 120-82- 1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2,4-三甲基苯 / 1,2,4- Trimethylbenzene (CAS No.: 95-63- 6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二溴-3-氯丙烷 / 1,2-Dibromo-3- chloropropane (CAS No.: 96-12-8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 5 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號



NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
1,2-二溴乙烷 / 1,2-Dibromoethane (CAS No.: 106-93-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯苯 / 1,2-Dichlorobenzene (CAS No.: 95-50-1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯丙烷 / 1,2-Dichloropropane (CAS No.: 78-87-5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,3,5-三甲基苯 / 1,3,5- Trimethylbenzene (CAS No.: 108-67- 8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,3-二氯苯 / 1,3-Dichlorobenzene (CAS No.: 541-73-1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,3-二氯丙烷 / 1,3-Dichloropropane (CAS No.: 142-28-9)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,4-二氯苯 / 1,4-Dichlorobenzene (CAS No.: 106-46-7)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 6 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號 NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
2,2-二氯丙烷 / 2,2-Dichloropropane (CAS No.: 594-20-7)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2-氯甲苯 / 2-Chlorotoluene (CAS No.: 95-49-8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
4-氯甲苯 / 4-Chlorotoluene (CAS No.: 106-43-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
苯 / Benzene (CAS No.: 71-43-2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
溴苯 / Bromobenzene (CAS No.: 108- 86-1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
溴氯甲烷 / Bromochloromethane (CAS No.: 74-97-5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
一溴二氟甲烷 / Bromodichloromethane (CAS No.: 75- 27-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
溴仿 / Bromoform (CAS No.: 75-25- 2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 7 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
溴甲烷 / Bromomethane (CAS No.: 74-83-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
四氯甲烷(四氯化碳)/ Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯苯 / Chlorobenzene (CAS No.: 108-90-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯乙烷 / Chloroethane (CAS No.: 75-00-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯仿 / Chloroform (CAS No.: 67-66-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯甲烷 / Chloromethane (CAS No.: 74-87-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
順-1,2-二氯乙烯 / cis-1,2- Dichloroethene (CAS No.: 156-59-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀 檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
順-1,3-二氯丙烯 / cis-1,3- Dichloropropene (CAS No.: 10061- 01-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 8 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
一氯二溴甲烷 / Dibromochloromethane (CAS No.: 124-48-1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
二溴甲烷 / Dibromomethane (CAS No.: 74-95-3)	mg/kg	參考US EPA 5021方法, 以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
二氯二氟甲烷 / Dichlorodifluoromethane (CAS No.: 75-71-8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
乙苯 / Ethylbenzene (CAS No.: 100-41-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
六氯丁二烯 / Hexachlorobutadiene (CAS No.: 87-68-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
異丙基苯 / Isopropylbenzene (CAS No.: 98-82-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
二氟甲烷 / Dichloromethane (CAS No.: 75-09-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
萘 / Naphthalene (CAS No.: 91-20-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 9 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號 NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
正丁基苯 / n-Butylbenzene (CAS No.: 104-51-8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
正丙基苯 / n-Propylbenzene (CAS No.: 103-65-1)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測./With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
鄰-二甲苯 / o-Xylene (CAS No.: 95-47-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
間,對-二甲苯 / m,p-Xylene (CAS No.: 108-38-3, 106-42-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
對-異丙基甲苯 / p-Isopropyltoluene (CAS No.: 99-87-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2-甲基丙基苯 / sec-Butylbenzene (CAS No.: 135-98-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
苯乙烯 / Styrene (CAS No.: 100-42-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2,2-二甲基乙基苯 / 2,2-tert- Butylbenzene (CAS No.: 98-06-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢測./ With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 10 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
四氯乙烯 / Tetrachloroethene (CAS No.: 127-18-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
甲苯 / Toluene (CAS No.: 108-88-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
反-1,2-二氯乙烯 / trans-1,2- Dichloroethene (CAS No.: 156-60-5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
反-1,3-二氯丙烯 / trans-1,3- Dichloropropene (CAS No.: 10061- 02-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
三氯乙烯 / Trichloroethylene (CAS No.: 79-01-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
三氯一氟甲烷 / Trichlorofluoromethane (CAS No.: 75-69-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯乙烯 / Vinyl chloride (CAS No.: 75-01-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 11 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號 NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



Test Report

號碼(No.): CY/2013/81299 日期(Date): 2013/08/29 頁數(Page): 12 of 12

鈞均企業股份有限公司 SHYANGE PAINT CO., LTD. 桃園縣大園鄉埔心村7鄰76號

NO .76, 7 LIN, PUHSIN VILL, TAYUAN HSIANG, TAOYUAN HSIEN, TAIWAN, R. O. C.

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CY/2013/81299



** 報告結尾 (End of Report) **